

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 13]

NEW DELHI, SATURDAY, APRIL 7, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd March, 1956

CHOLERA							SMALLPOX							PLAGUE									
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) & PART (C)																							
Ajmer																							
TOTAL																							
(Estd. mid-year pop. 752 thousands.)																							
Total for w/e 25-2-56																							
Total for w/e 18-2-56																							
7-yearly mean for the week																							
Andhra																							
Srikakulam																							
Visakhapatnam																							
Godavari East																							
Godavari West																							
Krishna																							
Guntur																							
Nellore																							
Kurnool																							
Cuddapah																							
Anantapur																							
Chittoor																							
TOTAL																							
(Estd. mid-year pop. 21,238 thousands.)																							
Total for w/e 25-2-56																							
Total for w/e 18-2-56																							
7-Yearly mean for the week																							
Assam																							
Cachar																							
Khassi and Jaintia Hills																							
Assam—contd.																							
Naga Hills																							
Goalpara																							
Kamrup																							
TOTAL																							
(Estd. mid-year pop. 9,817 thousands.)																							
Total for w/e 25-2-56																							
Total for w/e 18-2-56																							
7-yearly mean for the week																							
Bhopal																							
TOTAL																							
(Estd. mid-year pop. 867 thousands.)																							
Total for w/e 25-2-56																							
Total for w/e 18-2-56																							
7 Yearly mean For the week																							
Bihar																							
Patna																							
Gaya																							
Monghyr																							
Purnea																							
Hazaribagh																							
Manbhum																							
TOTAL																							
(Estd. mid-year pop. 42,198 thousands.)																							
Total for w/e 25-2-56																							
Total for w/e 18-2-56																							
7-yearly mean for the week																							

Explanation of Symbols used ; C=Cases; D=Deaths; ..=Nil

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd March, 1956—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE																
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.															
Punjab (I)						Uttar Pradesh—contd.																				
Hissar	10	3	..	Garhwal	1															
Rohtak	8	1	..	Sitapur	1															
Ludhiana	1	Kheri	1															
Ferozepur	1	Bahraich	2															
TOTAL	20	4	..	Rampur	1															
(Estd. mid-year pop. 12,641 thousands.)						TOTAL						29	5	2	..									
Total for w/e 25-2-56						(Estd. mid-year pop. 66,780 thousands.)						Total for w/e 25-2-56						38	14	8	..			
Total for w/e 18-2-56						Total for w/e 18-2-56						35	12	1	1									
7-yearly mean for the week						7-yearly mean for the week						4	1	105	30	99	39							
Tripura						Vindhya Pradesh						"N.R."														
TOTAL						1	2	West Bengal														
(Estd. mid-year pop. 706 thousands.)						Total for w/e 25-2-56						8	2									
Total for w/e 18-2-56						4	2	3	Burdwan	3	1	1	1					
Pondichery						TOTAL						30	27	Midnapur	13	9	5	1
TOTAL						30	27	Hooghly	3	1					
Uttar Pradesh						Howrah						13	6						
Dehra Dun	5	24-Parganas	6	3	1							
Bareilly	4	Calcutta	1	1	2	2							
Shahjahanpur	1	Nadia	1							
Kanpur	3	Murshidabad	5	3							
Jhansi	1	Malda	5	1							
Banaras	1	West Dinajpur	6	1							
Mirzapur	3	TOTAL	36	20	28	11							
Jaunpur	2	..	(Estd. mid-year pop. 26,396 thousands.)						Total for w/e 25-2-56						..	22	11	38	12
Gopakhpur	1	1	Total for w/e 18-2-56						..	38	17	26	5						
Basti	1	1	7-yearly mean for the week						..	288	131	167	59						
Almora	4	2																			

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd March, 1956—contd.

CHOLERA							SMALLPOX							PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.			
Grand Total for States Parts (A) & (C) (excluding Madhya Pradesh, Vindhya Pradesh, Himachal Pradesh and Delhi)														102	34	834	166	16	4		
(Estd. mid-year pop. 275,226 thousands.)																					
Total for w/e 25-2-56														84	32	876	164	14	3		
Total for w/e 18-2-56														116	34	607	147	1	1		
7-yearly mean for the week														905	463	1,660	324	99	39		
STATES PART (B)																					
Hyderabad																					
Aurangabad																6	3				
Bhir																1					
Raichur														5	3	6					
Nalgonda																3					
Mahbubnagar														2	2						
Hyderabad																	1				
Khammam																11	1				
TOTAL														7	5	27	5				
Jammu and Kashmir																					
"N. R."																					
Madhya Bharat																					
"N. R."																					
Mysore																					
Kolar																	8				
Bangalore																	3	3			
Chitaldrug														8	2						
Bellary																2					
Shimoga																3					
TOTAL														8	2	5		6	4		
PATIALA & East Punjab States Union																					
TOTAL															6	1					
Rajasthan																					
"N. R."																					
Saurashtra																					
Gohilwad																		6			
Zalawad																		1			
TOTAL																		7			
Travancore-Cochin																					
TOTAL																6	4				
Grand Total for States Part (B)														15	7	51	10	6	4		
Grand Total for States Parts (A), (B) and (C)														117	41	885	176	32	8		
ARREAR INFORMATION																					
Vindhya Pradesh																					
w/e 25-2-56																					
TOTAL																					
Rajasthan																					
w/e 18-2-56																					
TOTAL															14	1					
Madhya Bharat																					
w/e 18-2-56																					
TOTAL															33	3					

Explanation of Symbols used: C=Cases ; D=Deaths; ..=Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 3rd March, 1956—concl'd.

CHOLERA SMALLPOX PLAGUE

CHOLERA SMALLPOX PLAGUE

C. D. C. D. C. D.

C. D. C. D. C. D.

Saurashtra

w/e 25-2-56 (Revised)

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

Gohilwad	9	4
Madhya Saurashtra	2	
Sorath	12	4
TOTAL	23	8

Place	Period	Cases
Madras	1-15 January 1956	3
Greater Bombay	1-15 January 1956	1 (Revised)

Explanation of Symbols used: C.—Cases; D.—Deaths; "N.R."—Information not received.

NEW DELHI-2 (INDIA)

The 26th March, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S **Small Savings Scheme**

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd March, 1956

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from:—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
STATES—(Parts A and C)													
Ajmer													
Ajmer	223	84	19.6	—	4	2	18	..	48	11.2	2
Beawar	59	29	25.6	7	..	2	..	14	12.3	3
TOTAL	282	113	20.8	11	2	20	..	62	11.4	5
Andhra													
Adoni	63	47	38.8	1	3	..	13	10.7	2
Anantpur	38	21	28.7	1	2	..	10	13.7	..
Anakapalle	46	28	31.6	6	..	1	..	19	21.5	5
Bhimavaram	36	21	30.3	2	1	2	..	12	17.3	6
Chirala	43	20	24.2	4	..	3	..	11	13.3	3
Chittoor	45	65	75.1	13	3	5	..	29	33.5	6
Cuddapah	42	19	23.5	1	1	..	5	6.2	2
Eluru	99	65	34.1	..	1	..	3	..	4	1	27	14.2	3
Gudivada	36	23	47.7	2	2	2.9	..
Guntur†													
Guntakal	37	29	41.4	5	..	2	..	10	14.1	3
Kakinada†													
Kurnool†													
Masulipatnam	88	48	28.4	2	1	1	..	13	7.7	3
Nandyal†													
Nellore	95	80	43.8	5	6	4	2	52	28.3	17
Proddatur†													
Rajahmundry	122	71	30.3	..	1	..	11	1	2	..	49	20.9	8
Tenali	67	45	34.9	1	4	..	14	10.8	1
Vijayavada	201	159	41.2	..	1	..	7	3	4	..	47	12.2	10
Visakhapatnam	128	7	..	11	..	39	15.8	17
Vizianagaram	75	37	26.0	6	2	3	..	28	17.0	2
TOTAL	12,61	778	32.1	..	3	..	73	21	52	3	380	15.7	88
Assam													
Shillong†													
Gauhati	51	7	7.1	3	2	11	11.2	..
Dibrugarh†													
Silchar	43	16	19.3	1	1	1	..	7	8.4	1
TOTAL	94	23	12.7	4	3	1	..	18	10.0	1
Bhopal													
Bhopal City	116	76	30.1	4	..	2	..	17	7.6	..
Bihar													
Bombay													
Delhi													
Madhya Pradesh													
"N.R."													
Madras													
Ambur	44	34	40.2	1	1	1	11	13.0	3
Aruppukottai	56	32	29.7	2	4	4	1	17	15.8	3
Bodinayakanur	40	29	37.7	1	..	6	7.8	2
Cannanore	47	31	34.2	12	13.3	4
Chidambaram	39	32	42.7	2	2	..	11	14.7	..
Coimbatore	234	244	54.2	6	11	27	2	109	24.2	27

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total Deaths); ..—Nil Information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd March, 1936—*contd.*

Deaths from—

Town	Mid-year Popn. Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<i>Madras—contd.</i>													
Cuddalore	74	62	44.8	2	4	6	..	27	19.5	8
Dindigul	90	41	23.6	2	..	37	21.4	8
Erode	67	60	46.6	7	..	17	13.2	2
Gobichetty Palayam	38	12	16.4	2	..	7	9.6	1
Guddiyattam	53	15	14.7	1	1	8	..	16	15.7	11
Kanchepuram	90	60	34.7	6	12	1	30	17.3	6
Karaikudi	44	44	52.0	3	..	2	..	17	20.1	1
Karur	50	27	28.1	3	..	1	..	19	19.8	5
Rosshikode	176	102	30.1	3	2	9	..	60	17.7	13
Kumbakonam	105	96	47.5	1	1	5	..	31	15.4	5
Madras	1703	1169	35.7	..	1	..	84	117	182	3	734	22.4	213
Mangalore	196	96	36.7	2	..	5	..	33	12.6	8
Mathurai	427	307	37.4	12	19	58	1	199	24.2	44
Mayuram	49	47	49.9	2	2	..	20	21.2	4
Melapalayam	41	24	30.4	2	3	..	9	11.4	..
Nagapattinam	60	59	51.1	2	6	3	..	29	25.1	6
Ootacamund	48	45	48.7	1	4	..	17	18.4	4
Palani†	40	19	24.7	3	1	5	6.5	..
Palayamkottai	45	45	52.0	3	..	3	2	27	31.2	7
Palghat†
Periyakulam	34	19	29.1	1	1	..	12	18.4	5
Pollachi	51	33	33.6	2	2	4	1	22	22.4	2
Pudukottai	50	47	48.9	2	19	19.8	4
Rajapalayam	69	44	33.2	2	5	..	22	16.6	4
Salem	241	150	32.4	6	7	17	1	62	13.4	7
Srirangam	42	26	32.2	1	1	4	..	13	16.1	2
Srivilliputtur	44	31	36.6	1	4	1	..	13	15.4	2
Tanjore	118	49	21.6	1	1	14	6.2	2
Tallicherry	42	52	64.4	2	1	1	16	19.8	5
Tiruchirappalli	251	219	45.4	6	16	4	4	121	25.1	19
Tirunelveli	80	71	46.2	1	1	5	..	26	16.9	9
Tiruppur	63	56	46.2	1	2	1	..	15	12.4	3
Tiruvannamalai	45	44	50.8	2	1	1	11	12.7	3
Tuticorin	111	70	32.8	1	3	8	1	35	16.4	9
Vaniyambadi	43	31	37.5	1	7	8.5	1
Vellore	124	101	42.4	2	7	6	1	48	20.1	13
Vilupuram	39	33	44.0	2	2	..	14	18.7	5
Virudhunagar	53	44	43.2	3	2	5	..	18	17.7	3
TOTAL	5296	3852	37.8	..	1	..	152	234	411	22	1988	19.5	476

Orissa

Bachampur	72	60	43.4	3	2	1	..	12	8.7	2
Cuttack	117	70	31.2	6	..	6	..	44	19.6	6
Puri	53	44	43.3	7	3	2	..	24	23.6	4
TOTAL	242	174	37.4	16	5	9	..	80	17.2	12

Punjab (I)

Amritsar	65	46	37.0	3	..	1	1	9	7.2	2
Batala	343	291	44.4	4	24	..	69	10.5	14
Batala†	62	48	40.5	3	1	2	..	9	7.6	4
Bhawan†
Ferozepore	45	34	39.5	2	1	..	4	4.6	2
Hoshiarpur	51	38	39.0	3	13	13.3	3
Jullundur	200	147	38.4	2	2	9	..	28	7.3	7
Karnal	72	51	37.0	2	..	1	..	8	5.8	..

*Incases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Feyers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd March, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.	Deaths from :—							Total	D.R.	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Punjab (1)—contd.													
Ludhiana	176	174	51.7	9	..	3	..	24	7.1	6
Moga	41	11	14.0	1	..	1	..	4	5.1	2
Panipat	64	35	28.6	9	15	12.3	2
Pathankot	34	31	47.7	1	3	4.6	..
Rewari†	105	54	26.9	1	2	4	..	14	7.0	7
Rohtak	50	21	22.0	2	..	5	5.2	2
Simla	34	34	52.0	..	1	..	5	..	1	..	11	16.9	4
Sonepat
TOTAL	1,342	1,015	39.3	..	1	..	36	11	52	1	216	8.4	55
Uttar Pradesh													
Agra	375	307	42.8	2	53	..	95	13.2	18
Allahabad	349	160	24.0	1	2	26	1	55	8.2	9
Amroha	61	58	49.7	3	1	7	..	17	14.6	5
Bahraich	47	27	30.0	6	..	2	..	15	16.7	6
Benaras	383	221	30.2	41	3	22	1	144	19.6	36
Ballia	35	7	10.4	1	1.5	..
Banda	32	14	22.9	1	..	2	3.3	1
Bareilly	203	89	22.9	7	..	18	..	38	9.8	1
Bijnor†
Budaun	54	39	37.8	6	..	4	..	15	14.5	4
Basti†
Bulandshahr†
Chandauli	41	23	29.2	3	..	5	..	10	12.7	1
Dehra Dun	146	62	22.2	3	..	3	..	15	5.4	3
Etaawah	64	44	35.9	3	..	1	..	10	8.2	6
Faizabad-Ayodhya	88	17	10.1	2	5	3.0	..
Farrukhabad-Patehgarh	82	41	26.1	6	1	3	..	14	8.9	5
Ferozabad	79	26	17.2	1	..	1	..	11	7.3	3
Gazabad	46	26	29.5	3	3	3.4	..
Gazipur	36	25	36.3	6	2	1	..	14	20.3	1
Gorakhpur	140	106	39.6	9	2	3	..	19	7.1	8
Gonda	35	11	16.4	1	1.5	..
Hapur†
Hardwar	64	44	35.9	3	..	4	..	9	7.3	4
Hathras	62	33	27.8	2	1	4	..	11	9.3	4
Jaunpur	56	35	32.7	3	..	4	..	12	11.2	1
Kanshi	116	78	35.1	17	1	2	..	27	12.2	7
Kanpur	734	425	30.3	112	21	46	8	303	21.6	84
Kanganj	34	7	10.8	1	..	1	1.5	..
Khurja	41	21	26.8	1	..	4	..	9	11.5	3
Koll-Aligarh	150	94	32.8	10	1	7	..	24	8.4	4
Lucknow	494	346	36.6	14	6	19	..	131	13.9	36
Mathura	110	81	38.5	7	1	7	..	17	8.1	3
Mau-Nath Bhanjani†
Meerut	185	136	38.4	7	..	7	..	18	5.1	1
Mirzapur	97	52	28.0	5	3	6	..	24	12.9	10
Vindhyachal
Moradabad	164	110	35.1	5	1	19	..	45	14.3	8
Muzaffarnagar	74	54	44.9	7	1	1	..	17	12.0	3
Pilibhit	45	39	45.3	7	..	2	..	14	16.3	1
Rampur†
Saharanpur†
Sambhal	65	70	56.3	6	..	6	..	16	12.9	4
Shahjahanpur	99	67	27.5	8	..	2	1	18	7.4	4
Sitapur	49	15	15.9	1	1.1	1
TOTAL	4,935	3,010	31.7	312	51	291	11	1,181	12.4	283

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures are not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3rd March, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est.† (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal													
"N.R."													
STATES—(Part B)													
Jammu & Kashmir													
"N.R."													
Madhya Bharat													
Greater Gwalior†													
Indore	368	267	37.7	19	2	9	2	168	9.6	23
Ujjain	156	30	10.0	..	3	..	5	26	8.7	..
Ratlam	73	29	20.7	6	..	2	..	17	12.1	1
Mandsaur	41	1	1.3
TOTAL	638	327	26.7	..	3	..	30	2	11	2	111	9.0	24
Mysore													
Bangalore	977	403	21.4	4	37	72	..	208	11.1	..
Mysore	294	178	31.5	11	6	3	..	34	9.6	..
Kolar Gold Fields	173	85	25.5	3	3	4	..	31	9.3	..
Hospet	45	15	17.3	2	7	5.8	..
Davangere	69	33	24.9	1	11	8.3	..
TOTAL	1,558	714	23.8	20	47	79	..	311	10.3	..
PEPSU													
Patiala City	111	76	35.6	10	..	4	..	46	21.5	15
Malerkotla	34	38	58.1	1	1	1.5	1
Bhatinda	39	10	13.3	1	..	4	..	6	8.0	..
TOTAL	184	124	35.0	12	..	8	..	53	15.0	16
Rajasthan													
"N.R."													
Travancore-Cochin													
Alleppey	148	49	17.2	2	14	4.9	6
Changanacherry†													
Ernakulam	70	47	34.9	2	15	11.1	1
Kottayam†													
Mattanchery	85	31	19.0	1	11	6.7	1
Nagercoil	94	37	20.3	6	2	1	1	20	11.1	2
Cullion	75	100	69.3	1	..	1	..	15	10.4	2
Trichur	76	26	17.8	9	6.2	1
Trivandrum City	218	60	14.3	9	2.1	1
TOTAL	766	350	23.8	12	2	2	..	93	6.3	14
Saurashtra													
Bhavnagar	157	59	19.5	9	3	6	1	45	14.9	11
Dhoraji	47	37	40.9	2	9	10.0	..
Gondal	41	32	40.6	3	1	10	12.7	..
Jamnagar	122	78	33.2	2	..	1	..	14	6.0	..
Junagadh	65	31	24.8	4	1	3	..	17	13.6	5
Morvi	43	27	32.6	5	..	1	..	6	7.3	4
Porbandar	64	26	21.1	14	..	1	..	24	19.5	6
Rajkot	167	64	19.9	10	1	8	..	33	10.3	14
Surendranagar†													
Veraval	46	19	21.5	1	..	2	..	4	4.5	1
TOTAL	752	373	25.8	50	6	22	1	162	11.2	41

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 3th March, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.	Total			
Hyderabad														
Aurangabad . . .	73	16	11.4	1	..	1	..	3	2.1	..	
Bidar†														
Gulberga†														
Hyderabad City .	1,057	223	11.0	28	1	11	1	96	4.7	..	
Jalna†														
Kothagudiam . .	71	31	23.0	1	0.7	8	
Latur†														
Nanded	80	15	9.8	6	6	3.9	..	
Nizamba	67	16	12.4	1	..	3	2.3	1	
Parbhani	40	5	6.5	..	1	..	2	1	4	5.2	..	
Raichur†														
Secunderabad City .	162	137	43.9	1	7	1	2	9.3	7	
Warangal	155	30	10.1	18	..	2	..	2	7.0	1	
TOTAL	1,705	473	14.4	..	1	..	55	3	22	2	163	5.0	17	

ARREAR RETURNS

Madhya Pradesh				For w/e 25-2-56											
Murwara	.	.	39	6	8.0	1	3	4.0	..
Sagar	.	.	75	41	28.4	..	2	..	7	4	4	..	19	13.2	..
Khandwa	.	.	59	26	22.9	2	..	1	..	5	4.4	..
Burhanpur	.	.	79	51	33.5	7	..	4	..	13	8.6	..
Bilaspur	.	.	40	25	32.5	13	..	13	16.9	..
Gondia	.	.	45	29	33.5	1	1	3	3.5	1
Amravati	.	.	101	107	55.1	6	1	5	1	30	15.4	8
Achalpur	.	.	38	22	30.1	..	2	..	1	1	1	..	9	12.3	3
Yeotmal	.	.	41	24	30.4	2	..	3	..	11	14.0	..
Jabalpur	.	.	237	99	21.7	8	3	6	..	26	5.1	..
Akola	.	.	104	88	44.0	7	1	8	..	35	17.5	..
Raigarh	.	.	35	21	21.2	2	..	1	..	5	7.4	..
TOTAL			893	539	31.4	..	4	..	43	10	47	2	172	10.0	19

Madhya Pradesh				For w/e 4-2-56											
Jabalpur	.	.	237	73	16.0	5	20	4.4	..	
Murwara	.	.	39	5	6.7	1	3	4.0	..	
Raigarh	.	.	35	25	37.1	2	6	8.9	2	
For w/e 11-2-56															
Jabalpur	.	.	237	89	19.5	11	2	3	..	26	5.7	..
Murwara	.	.	39	6	8.0	1	3	4.0	..
Raigarh	.	.	35	9	13.4	4	..	1	..	7	10.4	..
For w/e 18-2-1956															
Jabalpur	.	.	237	180	39.5	12	1	5	..	34	7.5	..
Murwara	.	.	39	6	8.0	2	4	5.3	..
Raigarh	.	.	35	22	32.7	3	..	1	..	4	5.9	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 3rd March, 1956, relate to 156 towns with an estimated population of 19,171 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 49% of the total number of towns representing 46% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 11,402 and 4,835 representing birth and death rates of 30.9 and 13.1 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 120 towns with an estimated population of 13,568 thousands. Information about Bihar, Bombay, Delhi, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 48% of the total number of towns representing 41% of the total

population is covered. The number of births and deaths recorded in these towns were 9,041 and 3,942 representing birth rates and death rates of 34.7 and 15.1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 36 towns with an estimated population of 5,603 thousands. The total number of towns is 65 and their population is 80,84 thousands. Thus 55% of the total number of towns representing 69% of the total population is covered. The number of births and deaths recorded in these towns were 2,361 and 893 representing birth and death rates of 21.9 and 8.3 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 3-3-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . .	20.8	11.4	†	†	23.8	14.4
Andhra . .	32.1	15.7	29.5	14.6	†	†
Madras . .	37.8	19.5	34.4	18.4	†	†
Orissa . .	37.4	17.2	42.8	18.8	35.8	21.2
Punjab (I) . .	39.3	8.4	37.7	8.1	30.2	8.8
Uttar Pradesh . .	31.7	12.4	26.7	11.2	28.4	13.9
*India . .	34.7	15.1	30.2	14.4	26.9	14.4

*5 Part "A" States and 1 Part "C" State.

† Figures not available.

NEW DELHI-2 (INDIA) ;

The 24th March, 1956. }

K. MITRA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th March, 1956

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE																				
C.							D.							C.							D.							C.							D.							C.							D.						
STATES PART (A) & PART (C)																												Bhopal																											
Ajmer																												"N.R."																											
TOTAL																												Bihar																											
(Estd. Mid-year pop. 752 thousands).																												"N.R."																											
Total for w/e 3-3-56																												Bombay																											
Total for w/e 25-2-56																												Greater Bombay																											
7-yearly mean for the week																												Ahmedabad																											
																												Kaira																											
																												Broach																											
																												Panch Mahals																											
																												Surat																											
																												Thanr																											
																												Ahmednagar																											
																												East Khandesh																											
																												West Khandesh																											
																												Poona																											
																												Satara North																											
																												Sholapur																											
																												Sabarkantha																											
																												Belgrum																											
																												Bijapur																											
																												Dharwar																											
																												Kolaba																											
																												Mehsana																											
																												Banaskantha																											
TOTAL																												TOTAL																											
(std. mid-year pop. 21,238 thousands).																												(Estd. mid-year pop. 39,569 thousands).																											
Total for w/e 3-3-56																												Total for w/e 3-3-56																											
Total for w/e 25-2-56																												Total for w/e 25-2-56																											
7-yearly mean for the week																												7-yearly mean for the week																											
Assam																												Coorg																											
Kamrup																												TOTAL																											
TOTAL																																																							
(Estd. mid-year pop. 9,817 thousands).																												(Estd. mid-year pop. 262 thousands).																											
Total for w/e 3-3-56																												Total for w/e 3-3-56																											
Total for w/e 25-2-56																												Total for w/e 25-2-56																											
7-yearly mean for the week																												7-yearly mean for the week																											

Explanation of Symbols used : C. = Cases ; D. = Deaths ; .. = Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th March 1936—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.
Delhi							Orissa— <i>contd.</i>						
"N.R."							(Estd. mid-year pop. 15,114 thousands.)						
Himachal Pradesh							Total for w/e 3-3-36						
"N. R."							Total for w/e 25-2-36						
Madhya Pradesh							7-yearly mean for the week						
"N.R."							Punjab (1)						
Madras							N.R.						
Madras Town	2	Tripura						
Chingleput	9	4	..	TOTAL						
North Arcot	12	2	..	(Estd. mid-year pop. 706 thousands.)						
South Arcot	9	1	..	Total for w/e 3-3-36						
Ramnathapuram	15	2	..	Total for w/e 25-2-36						
Tirunelveli	35	4	..	Pondichery						
Malabar	11	3	..	TOTAL						
TOTAL	93	16	..	Uttar Pradesh						
(Estd. mid-year pop. 38,273 thousands.)							Dehra Dun						
Total for w/e 3-3-36							Bareilly						
Total for w/e 25-2-36							Shahjahanpur						
7-yearly mean for the week							Kanpur						
..	335	167	292	38	Fatehpur						
Manipur							Allahabad						
TOTAL							Jhansi						
(Estd. mid-year pop. 613 thousands.)							Banaras						
Total for w/e 3-3-36							Mirzapur						
Total for w/e 25-2-36							Jaunpur						
Orissa							Gorakhpur						
Cuttack	5	Almora						
Balasore	8	Garhwal						
Puri	5	Sitapur						
Sambalpur	2	2	..	Kheri						
Koraput Bandh	1	Gonda						
Konjhar	..	2	2	Bahraich						
Dhenkanal	..	1	TOTAL						
Kalahandi	14	1						
TOTAL	..	3	2	35	3						

Explanation of Symbols used : C.—Cases; D.—Deaths ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th March, 1956—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Uttar Pradesh—contd.								STATES PART (B)								Hyderabad															
(Estd. mid-year pop. 56,780 thousands.)								Aurangabad								Bhir															
Total for w/e 3-3-56								Bhir								Gulberga															
Total for w/e 25-2-56								Raichur								Warrangal															
7-yearly mean for the week								Mahbubnagar								Khammam															
TOTAL								TOTAL								TOTAL															
Vindhya Pradesh								Jammu and Kashmir								Madhya Bharat															
(Estd. mid-year pop. 3,686 thousands.)								"N. R."								"N. R."															
Total for w/e 3-3-56								Mysore								Chitaldrug															
Total for w/e 25-2-56								Kolar								Shimoga															
West Bengal								Bellary								TOTAL															
Burdwan								TOTAL								Patiala and East Punjab States Union															
Bankura								TOTAL								Rajasthan															
Midnapur								TOTAL								"N. R."															
Hooghly								TOTAL								Saurashtra															
Howrah								TOTAL								Zalawad															
14-Parganas								TOTAL								TOTAL															
Calcutta								TOTAL								TOTAL															
Nadia								TOTAL								TOTAL															
Murahidabad								TOTAL								TOTAL															
Malada								TOTAL								TOTAL															
West Dinajpur								TOTAL								TOTAL															
TOTAL								TOTAL								TOTAL															
(Estd. mid-year pop. 26,396 thousands.)								TOTAL								TOTAL															
Total for w/e 3-3-56								TOTAL								TOTAL															
Total for w/e 25-2-56								TOTAL								TOTAL															
7-yearly mean for the week								TOTAL								TOTAL															
Grand Total for States Parts (A) & (C) (excluding Bihar, Bhopal, Madhya Pradesh, Punjab, Himachal Pradesh and Delhi.)								TOTAL								TOTAL															
Corresponding (Estd. mid-year pop. 2,23,206 thousands.)								TOTAL								TOTAL															
Corresponding Total for w/e 3-3-56								TOTAL								TOTAL															
Corresponding Total for w/e 25-2-56								TOTAL								TOTAL															
Corresponding 7-yearly mean for the week								TOTAL								TOTAL															

Explanation of symbols used : C.—Cases; D.—Deaths — "N. R."—Information not received,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th March, 1956—*concl'd.*

CHOLERA] SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE						
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.
ARREAR INFORMATION								Madhya Pradesh—contd.						
Jammu and Kashmir														
w/e 3-3-56								Raipur 4						
TOTAL	12	Bhandara 39 2 .. .						
w/e 25-2-56								Balaghat 54 5 .. .						
TOTAL	Amravati 4						
w/e 18-2-56								Akola 76 13 .. .						
TOTAL	5	Yeotmal 1						
Himachal Pradesh								Buldana 87 9 .. .						
w/e 3-3-56								TOTAL 481 60 .. .						
TOTAL	Bombay						
Vindhya Pradesh								w/e 3-3-56 (Revised)						
w/e 3-3-56								Greater Bombay 8 3 — .						
TOTAL	Ahmedabad 31 12 .. .						
Saurashtra								Banaskantha 49 9 .. .						
(Further Revised) w/e 25-2-56								Mehsana 30 8 .. .						
Gohilwad	9	4	..	Panchmahals 27 — — .						
Madya Saurashtra	2	Surat 29 4 .. .						
TOTAL	11	4	Ahmed nagar 3						
Madhya Pradesh								East Khandesh 54 6 .. .						
w/e 3-3-56								West Khandesh 22						
Nagpur	84	4	—	Sabar Kantha 2 2 .. .						
Wardha	6	Dharwar 2						
Chanda	12	North Satara 8						
Chhindwara	12	6	..	Sholapur 44 3 .. .						
Betul	29	..	—	Baroda 1						
Sagar	39	14	..	TOTAL 310 47 .. .						
Mandla	22	7	..	POLIOMYELITIS						
Hoshangabad	12	(Information based on patients treated in hospitals in important towns)						
								Places Period Cases						
								Punjab . . . 16—29 Feb. 56 9 (Paralytic)						

Explanation of Symbols used:—C = Cases; D. = Deaths; .. = Nil.

New DELHI-2 (INDIA) ;
The 2nd April, 1956.

K. MITRA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 13th March, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Delhi Cantt.	223	83	19.4	9	1	16	..	49	11.4	4
Delhi Shahdara	59	31	27.3	3	1	3	1	10	8.8	2
TOTAL	282	114	21.0	12	2	19	1	59	10.9	6
Andhra													
Adoni	63	56	47.0	1	3	..	16	13.2	3
Anantpur	38	20	27.4	1	..	2	2	15	20.5	2
Anakapalli	46	16	18.1	3	..	1	..	14	15.8	7
Bhimavaram	36	24	34.7	1	1	8	11.6	..
Chitrala	43	14	16.9	1	..	1	..	8	9.7	2
Chittoor†
Cuddapah	42	31	38.4	1	1	5	..	17	21.0	1
Eluru	99	45	23.6	..	4	..	4	2	29	14.2	8
Gudivada	36	16	23.1	3	..	2	..	15	21.7	5
Guntur	147	102	36.1	5	2	8	..	38	13.2	7
Guntakal†
Kakinada	113	29	13.4	..	2	..	6	1	20	9.2	2
Kurnool	68	54	41.3	1	1	17	13.0	4
Masulipatnam	88	32	18.9	..	1	..	1	3	1	..	30	17.7	4
Nandyal	37	34	19.8	2	3	..	7	9.9	2
Nellore	95	53	29.0	2	2	4	..	34	18.6	4
Proddatur†
Rajahmundry	122	52	22.2	..	1	..	5	1	2	..	23	9.8	7
Tenali	67	43	33.4	2	..	13	10.1	4
Vijayavada†
Visakhapatnam	128	82	33.3	4	3	10	..	42	17.1	7
Vizianagaram	75	32	22.2	2	2	1	..	24	16.6	6
TOTAL	1,343	715	27.7	3	8	..	39	16	45	6	370	14.3	75
Assam													
Shillong†
Gauhati	51	11	11.2	3	12	12.2	1
Dibrugarh	46	6	6.7	1	1.1	..
Silchar	43	52	62.8	3	..	1	..	8	9.7	1
TOTAL	140	69	25.6	6	..	1	..	21	7.8	2
Bhopal													
Bhopal City	116	98	43.9	4	..	8	..	16	7.2	..
Bihar													
Patna Corporation	330	63	9.9	..	6	..	6	2	25	3.9	..
Bihar	68	15	11.5	2	3	2.3	..
Dinapur	44	5	5.9	2	3	8	9.5	..
Gaya	149	18	6.3	17	2	13	..	52	18.2	..
Araha†
Chapra	69	33	24.9	1	..	1	..	10	7.5	1
Betiah	38	18	24.6	1	6	8.2	1
Muzaffarpur	84	21	13.0	7	18	11.1	..
Darbhanga	93	18	10.1	2	..	1	..	9	5.0	..
Monghyr	80	12	7.8	3	5	3.3	..
Jamalpur	47	7	7.7	2	3	3.3	..
Bhagalpur	126	2	15	6.2	..
Ranchi	130	25	10.0	3	9	3.6	1
Purulla	47	10	11.1	1	1	3	3.3	..
Jamshedpur	246	109	23.0	3	5	1	20	4.2	4
Katihar	51
Hazaribagh	39	10	13.3	3	4.0	2
Dhanbad	41	11	14.0	3	3.8	..
TOTAL	1,682	375	11.6	..	6	..	49	5	20	7	192	5.9	9

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Flague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th March 1956—*contd.*

Deaths from 1—

Town	Mid year Popn. Est. (000)	B.	B.R* . C.	S.	P.	F.	D.D.	R.D.†	M.D.	Total	D.R.	I.D.
Bombay		N.R.										
Madras		N.R.										
Ambur . . .	44	23	27.2	2	1	..	11	13.0	4
Aruppukottai . .	56	22	20.4	4	4	..	19	17.6	4
Bodinayakanur†												
Cannanore . . .	47	33	36.5	1	..	1	10	11.1	3
Chidambaram . .	39	14	18.7	1	3	1	14	18.7	..
Coimbatore . . .	234	190	42.2	3	5	21	84	18.7	22
Cuddalore . . .	74	52	37.6	2	..	4	24	17.3	6
Dindigul . . .	90	44	25.4	3	1	15	8.6	2
Erode . . .	67	36	27.9	1	..	1	11	8.5	1
Gobichetty Palayan	38	10	13.7	1	..	1	6	8.2	3
Guddiyattam . .	53	18	17.7	4	2	9	8.8	1
Kancheepuram . .	90	58	33.5	1	3	11	34	19.6	7
Karaikudi . . .	44	22	26.0	5	12	14.2	3
Karur . . .	50	19	19.8	2	2	8	8.3	..
Kozhikode . . .	176	91	26.9	1	..	1	26	7.7	8
Kumbakonam . .	105	90	44.6	5	19	9.4	4
Madras . . .	1703	1,010	30.8	63	182	160	615	18.8	158
Mangalore . . .	136	90	34.4	3	..	8	45	17.2	5
Mathurai . . .	427	300	36.5	16	12	33	183	22.3	51
Mayuram . . .	49	36	38.2	1	..	1	14	14.9	1
Nolapalayam . .	41	13	16.5	1	..	4	6	7.6	..
Nagapattinam . .	60	43	37.3	2	1	3	19	16.5	5
Ottacamund . .	48	29	31.4	1	9	18	19.5	2
Palni . . .	40	20	26.0	2	6	7.8	1
Palayamkottai . .	45	50	57.8	1	18	20.8	2
Palghat . . .	77	56	37.8	1	1	6	25	16.9	3
Periyakulam . .	34	32	48.9	3	8	12.2	..
Pollachi . . .	51	41	41.8	1	1	2	10	10.2	2
Pudukottai . . .	50	28	29.1	1	..	1	11	11.4	2
Rajapalayam . .	69	34	25.6	5	1	11	8.3	3
Salem . . .	241	160	34.5	9	5	14	65	14.0	6
Srirangam . . .	42	10	12.4	2	..	4	13	16.1	2
Srivilliputtur . .	44	27	31.9	3	1	1	11	13.0	1
Tanjore . . .	118	124	54.6	5	3	4	58	25.6	10
Tellicherry . . .	42	33	40.9	1	14	17.3	5
Tiruchirapalli . .	251	110	22.8	6	3	11	85	17.6	17
Tirunelveli . . .	80	62	40.3	1	2	17	11.1	..
Tiruppur . . .	63	56	46.2	1	..	3	12	9.9	3
Tiruvannamalai . .	45	22	25.4	4	12	13.9	5
Tuticorin . . .	111	67	31.4	1	2	7	31	14.5	4
Vaniyambadi . .	43	22	26.6	13	15.7	4
Vellore . . .	124	110	46.1	3	11	46	19.3	14
Villupuram . . .	39	27	36.0	1	..	6	15	20.0	6
Virudunagar . . .	53	57	55.9	3	3	..	14	13.7	4
TOTAL . . .	5,333	3,391	33.1	140	150	354	1,697	16.5	384

Delhi State }
Madhya Pradesh }

N.R.

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); —=Nil information. N.R.=Information not received; ..=Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th March, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	Deaths from :—											D.R.	I.D.
		B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Orissa														
Berhampur	72	75	54.3	3	2	2	..	17	12.3	6	
Cuttack	117	112	50.0	5	3	6	..	39	17.4	6	
Puri	53	45	44.3	10	3	24	23.6	1	
TOTAL	242	232	49.9	18	8	8	..	80	17.2	13	
Punjab (I)														
Ambala	65	60	48.3	1	1	2	..	13	10.5	5	
Amritsar	343	240	36.6	1	1	27	..	75	11.4	20	
Batala	62	32	27.6	6	..	1	..	9	7.6	1	
Bhiwani	57	44	40.4	3	1	6	1	16	14.7	3	
Perozepore	45	16	18.6	1	..	3	3.5	1	
Hissar	39	29	38.9	1	..	4	..	10	13.4	1	
Hoshiarpur	51	39	40.0	2	..	7	7.2	3	
Jullundur	200	94	24.6	2	1	8	..	20	5.2	3	
Karnal	72	31	22.5	2	..	3	..	7	5.1	2	
Ludhiana	176	143	42.5	7	..	3	..	24	7.1	8	
Moga†											
Patlipat	64	33	27.0	4	6	4.9	2	
Pathankot	34	17	26.2	3	..	4	6.2	2	
Rewari	36	16	23.2	2	..	6	8.7	3	
Rohtak†											
Sirsa	50	28	29.3	2	2.1	..	
Sonipat†											
TOTAL	1294	822	33.0	27	4	62	1	202	8.1	54	
Uttar Pradesh														
Agra	375	217	30.2	2	60	..	104	14.5	35	
Allahabad	349	145	21.7	..	1	1	24	..	50	7.5	8	
Amroha†											
Bahraich	47	34	37.8	1	1	2	..	9	10.0	3	
Banaras	383	277	37.8	43	5	16	..	126	17.2	30	
Balla	35	9	13.4	3	9	13.4	5	
Banda	32	16	26.1	1	..	2	..	5	8.2	2	
Bareilly	203	59	15.2	7	..	8	..	20	5.1	4	
Bljnor	32	12	19.6	1	..	2	3.3	..	
Budaun	54	34	32.9	6	..	2	..	12	11.6	3	
Basti†											
Bulandshahr†											
Chandausi	41	33	41.9	5	1	2	..	15	19.0	7	
Dehra Dun	146	45	16.1	6	1	12	4.3	2	
Etawah	64	42	34.3	5	..	2	..	12	9.8	3	
Faizabad-Ayodhya	88	26	15.4	2	4	2.4	..	
Farrukhabad-Fatehgarh	82	50	31.9	6	1	5	..	20	12.7	2	
Ferozabad	79	28	18.5	2	4	2.6	1	
Gaziabad	46	30	34.1	4	..	2	..	8	9.1	3	
Gazipur	36	25	36.3	4	2	3	..	14	20.3	..	
Gorkhpur	140	64	23.9	4	4	4	..	20	7.5	5	
Gonda	35	10	14.9	1	1.5	..	
Hapur	45	28	29.9	1	2	..	5	5.3	..	
Hardwar	64	38	31.0	3	1	5	..	16	13.1	5	
Hathras	62	41	34.6	10	..	3	..	18	15.2	4	
Jaunpur	56	30	28.0	3	..	3	..	12	11.2	1	
Jhansi	116	80	36.6	24	1	3	..	31	14.0	8	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th March, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—											Total	D.R.	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Kanpur	734	390	27.8	106	19	34	7	288	20.5	84		
Kasganj	34	12	18.4	1	1	1.5	1		
Khurja	41	16	20.4	..	1	..	3	2	2	..	12	15.3	..		
Koili-Algarh	150	114	39.7	7	..	4	..	18	6.3	2		
Lucknow	494	394	41.7	27	11	37	4	151	16.0	39		
Mathura	110	40	19.0	8	1	5	..	23	10.9	4		
Mau-Nath Bhanjant															
Meerut	185	101	28.5	4	1	5	..	19	5.4	3		
Mirzapur Vindhyachal	97	51	27.5	..	1	..	8	..	3	..	19	10.2	3		
Moradabad	164	100	31.9	4	..	10	1	30	9.6	7		
Muzaffarnagar	74	39	27.5	3	..	1	..	8	5.6	..		
Pilibhit	45	32	37.2	3	1	9	10.4	3		
Rampur†															
Saharanpur	162	94	30.3	24	33	10.6	7		
Sambhal	65	57	45.8	..	1	..	6	1	5	..	15	12.1	3		
Shahjahanpur	99	86	35.3	5	2	7	..	22	9.0	2		
Sitapur	49	15	15.9	3	1	5	5.3	1		
TOTAL	5,117	2,914	29.6	..	4	..	345	59	272	13	1,182	12.0	290		

West Bengal

"N.R."

STATES—(Part B)

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior . . .	273	147	24.2	5	..	5	..	22	4.2	2
Indore . . .	368	187	26.4	11	..	4	1	71	10.0	27
Ujjain . . .	156	36	12.0	..	3	..	4	1	30	10.0	..
Ratlam . . .	73	23	16.4	4	8	5.7	..
Mandsaur . . .	41	13	16.5	2	2	2.5	1
TOTAL . . .	911	406	23.2	..	3	..	26	..	9	2	133	7.6	30

Mysore

Bangalore . . .	977	520	27.7	4	36	68	..	186	9.9	..
Mysore . . .	294	153	27.1	12	9	1	..	70	12.4	..
Kolar Gold Fields . . .	173	100	30.1	3	2	5	..	26	7.8	..
Davangere . . .	69	23	17.3	4	1	16	12.1	..
TOTAL . . .	1,513	796	27.4	23	48	74	..	298	10.2	..

PEPSU

Patiala City . . .	111	69	32.3	13	1	1	..	36	16.9	23
Malerkotla . . .	34	17	26.0	2	..	1	..	4	6.1	..
Bhatinda . . .	39	12	16.0	2	..	3	4.0	1
TOTAL . . .	184	98	27.7	15	1	4	..	43	12.2	24

Rajasthan

"N.R."

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th March, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Travancore-Cochin													
Alleppey . . .	148	47	16.5	1	1	15	5.3	3
Changanacherry . .	41	53	67.2	2	..	2	..	14	17.8	3
Ernakulam . . .	70	47	34.9	3	..	2	..	13	9.7	1
Kottayam . . .	50	18	18.7
Mattanchery . . .	85	60	36.7	1	14	8.6	1
Nagercoil . . .	94	37	20.5	6	18	10.0	1
Quilon . . .	75	107	74.2	1	1	10	6.9	2
Trichur . . .	76	72	49.3	7	4.8	3
Trivandrum City . .	218	163	38.9	2	2	3	..	35	8.3	1
TOTAL . . .	857	604	36.6	16	4	7	..	126	7.6	15
Saurashtra													
Bhavnagar . . .	157	85	28.1	11	..	1	..	36	11.9	4
Dhoraji† . . .	41	18	22.8	2	6	7.6	..
Gondal . . .	122	91	38.8	6	22	9.4	..
Jamnagar . . .	65	22	17.0	3	2	2	..	16	12.8	5
Junagadh . . .	43	10	12.1	2	1	2	..	5	6.0	..
Morvi . . .	64	33	26.8	9	..	3	..	23	18.7	9
Porbandar . . .	167	53	16.5	17	5	8	..	38	11.8	14
Rajkot . . .	46	15	17.0	5	1	8	9.0	1
Surendranagar† . .	705	327	24.1	55	8	17	1	154	11.4	33
Veraval . . .	73	7	5.0	1	2	1	..	4	2.8	..
TOTAL . . .	705	327	24.1	55	8	17	1	154	11.4	33
Hyderabad													
Aurangabad . . .	73	7	5.0	1	2	1	..	4	2.8	..
Bidar† . . .	90	13	7.5	5	..	1	1	9	5.2	..
Gulberga . . .	1,057	340	16.7	17	3	6	..	67	3.3	7
Hyderabad City . .	41	2	2.5	1	2	2.5	..
Jalna† . . .	80	18	11.7	8	8	5.2	..
Kothagudiam† . .	67	18	14.0	2	4	3.1	2
Latur . . .	40	6	7.8	..	1	..	1	3	3.9	1
Nanded . . .	162	153	49.1	1	1	4	..	28	9.0	6
Nizambad . . .	153	13	4.4	6	..	3	..	19	6.4	..
Parbhani . . .	155	13	4.4	6	..	3	..	19	6.4	..
Raichur† . . .	162	153	49.1	1	1	4	..	28	9.0	6
Secunderabad City .	162	153	49.1	1	1	4	..	28	9.0	6
Warangal . . .	155	13	4.4	6	..	3	..	19	6.4	..
TOTAL . . .	1,765	570	16.8	..	1	..	42	6	15	1	144	4.2	16

ARREAR RETURNS

For w/e 3-3-56

Bihar													
Patna Corporation . .	330	126	19.9	..	6	..	9	..	2	..	46	7.3	..
Bihar . . .	68	15	11.5	2	3	2.3	..
Dinapur . . .	44	5	5.9	1	5	7	8.3	..
Gaya . . .	149	37	12.9	..	1	..	14	2	11	1	40	13.9	..
Arrah . . .	70	4	3.0
Chapra . . .	69	27	20.4	1	1	6	4.5	..
Muzaffarpur . . .	84	27	16.7	2	6	3.7	..
Bottlah† . . .	93	16	9.0	1	3	1.7	..
Darbhanga . . .	93	16	9.0	1	3	1.7	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the [population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fever ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total Deaths) ; .. = Nil Information ; "N.R." = Information not received.

Birth and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th March, 1956—*concl'd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
Bihar—contd.													
Jamalpur . . .	47	4	4.4
Monghyr†
Bhagalpur . . .	126	43	17.8	15	6.2	..
Purulia . . .	47	7	7.7	1	2	2.2	..
Jamshedpur . . .	246	85	18.0	2	..	18	3.8	6
Ranchi . . .	130	17	6.8	1	11	4.4	2
Katihar . . .	51
Hazaribagh . . .	39	6	8.0	6	8.0	3
Dhanbad . . .	41	8	10.2	..	1	12	15.2	..
TOTAL	1,634	427	13.6	..	8	..	32	2	15	7	175	5.6	11
Punjab													
<i>For w/e 3-3-56</i>													
Hissar . . .	39	25	33.5	1	..	3	..	8	10.7	3
Bhiwani . . .	57	42	38.5	..	3	..	11	5	4	..	29	26.6	8
Rewari . . .	36	11	16.0	3	1	6	..	11	16.0	3
<i>For w/e 11-2-56</i>													
Hissar . . .	39	31	41.6	2	..	7	9.4	2
Bhiwani . . .	57	45	41.3	..	3	..	5	..	1	..	14	12.8	3
Ludhiana . . .	176	122	36.2	9	23	6.8	8
Simla . . .	50	21	22.0	3	3.1	1
Assam													
<i>For w/e 3-3-56</i>													
Dibrugarh . . .	46	7	7.9	1	..	1	1.1	..
Jammu & Kashmir													
Jammu w/e 4-2-56 . . .	69	53	39.9	5	..	15	11.3	3
„ w/e 11-2-56 . . .	69	44	33.1	2	1	5	..	13	9.8	..
Srinagar w/e 3-12-55 . . .	240	116	25.1	3	..	5	..	17	3.6	6
„ w/e 10-12-55 . . .	240	101	21.9	1	..	5	..	16	3.4	3
„ w/e 17-12-55 . . .	240	107	23.2	4	..	7	..	22	4.7	4
„ w/e 24-12-55 . . .	240	132	28.6	6	..	8	..	30	6.5	1
„ w/e 31-12-55 . . .	240	115	24.9	7	..	10	..	28	6.0	3
Madhya Bharat													
<i>For w/e 3-3-56</i>													
Greater Gwalior . . .	273	159	30.3	4	..	3	..	19	3.6	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 10th March 1956 relate to 177 towns with an estimated population of 21,484 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 56% of the total number of towns representing 52% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 21,484 and 4,718 representing birth and death rates of 27.9 and 11.4 per thousand of population respectively.

(a) States (Part A and C) :—The data here relate to 139 towns with an estimated population of 15,549 thousands. Information about Bombay, Delhi, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 55% of the total number of towns representing 47% of the total population is covered. The number of

births and deaths recorded in these towns were 8,730 and 3,819 representing birth rates and death rates of 29.2 and 12.8 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B) :—The data here relate to 38 towns with an estimated population of 5,935 thousands. The total number of towns is 65 and their population is 8,084 thousands. This 58% of the total number of towns representing 73% of the total population is covered. The number of births and deaths recorded in these towns were 2,801 and 898 representing birth and death rates of 24.5 and 7.8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 10-3-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	21.0	10.9	†	†	20.6	15.1
Andhra	27.7	14.3	28.9	15.1	†	†
Bihar	11.6	5.9	11.3	4.4	11.0	5.9
Madras	33.1	16.5	29.6	18.6	†	†
Orissa	49.9	17.2	39.2	16.3	42.2	20.8
Punjab (I)	33.0	8.1	27.8	6.4	28.1	8.4
Uttar Pradesh	29.6	12.0	23.3	10.4	27.9	13.9
India*	29.2	12.8	27.7	11.4	28.1	14.3

*6 Part 'A' States and 1 Part 'C' State.

†Figures not available

NEW DELHI-2 (INDIA);
The 2nd April, 1956

K. MITRA,
For Registrar General,
India.